

# COLUMBIAHALLE

## VENUE SPECS

Print version

*Venue production manager:*

*Roger Hass  
Thorsten Mansfeld*

*Contact:*

*[roger@columbiahalle.berlin](mailto:roger@columbiahalle.berlin)  
[thorsten@columbiahalle.berlin](mailto:thorsten@columbiahalle.berlin)*

*Address:*

*Columbiahalle  
Gastro- und Betriebs GmbH  
Columbiadamm 13 - 21  
10965 Berlin*

## **Technical data**

<b>Size:</b>	<i>1150 qm main hall 410 qm gallery</i>
<b>Capacity:</b>	<i>3500 standing 1400 seated</i>
<b>Parking:</b>	<i>3 Trucks 3 Nightliner 3 Vans</i>
<b>Backstage:</b>	<i>2 big production offices 1 small production office  2 big dressing rooms (16,5 qm each) 2 small dressing rooms (9,0 qm each) 1 star dressing room (inkl. toilet, shower, mirror, 2 fridges, couch, chair, TV, private garden, darts)</i>
<b>Toilets:</b>	<i>4 (backstage)</i>
<b>Shower:</b>	<i>2 double showers 2 single showers</i>
<b>Catering:</b>	<i>20 people</i>
<b>Kitchen:</b>	<i>1 gas stove (5 flame, electric oven) 3 large fridges 1 gastro sink Work surfaces</i>
<b>Internet:</b>	<i>100.000 kbit/s, Wi-Fi</i>

**Stage:** 15,00 m x 9,00 m (basic stage)  
1,40 m high, expandable up to 15m x 10m  
(extra charge) not possible at a sold-out event!

15 m x 8 m (full seating)

headroom - stage to support 6,60 m  
headroom - hall floor to support 8,00 m

**FOH space:** (standard) 5 m \* 4 m

**Loading:** ground level 10,00 m

**Loading doord:** 1 back stage  
height 3,35 m, width 2,95 m

2 back stage  
height 2,20 m, width 2,90 m

3 front of the hall area  
height 2,05 m, width 2,90 m

**Rigging:** There are two light beams positioned 9,00 m apart over the stage, extending up to the gallery.

Each beam has carrier points supporting a load of 500 kg per 3,00 m. Additionally, there are two sound beams, each 6,60 m long, positioned 14,00 m apart on the left and right sides above the stage. The carrier points in the middle of each sound beam bear a weight of 700 kg, including motors and a cradle. Depending on the placement



*either upstage or downstage an additional load of 350 kg is applied.*

**Rigging height:** *beam height 6,60 m (from stage)  
beam height 8,00 m (from ground)*

**Rigging tower:** *4 towers stand at the back of the stage (0,40 m within the platform) and can each be loaded with up to 800 kg. The lower edge height approx. 6,69 m, minus the load eyelet. Load cells are mandatory for LED wall.*

**Motors rigging:** *There are 6 house motors in the rigg. If used, each motor costs 28,00 EUR net.*

*4 motors D8 Plus  
2 motors D8 (sound must be saved)*

*stage right  
maximum load capacity 400 Amp*

**Electricity (light):** *1x Powerlock 400 Amp 3 Phasen PE+N  
2x 125 Amp CEE 3 Phasen (red)  
2x 63 Amp CEE 3 Phasen (red)  
2x 32 Amp CEE 3 Phasen (red)  
2x 16 Amp CEE 3 Phasen (red)  
4x 16 Amp single Phase (blue)  
4x 16 Amp Schuko*

*stage left  
maximum load capacity 250 Amp*

**Electricity (sound)** *1x Powerlock 250 Amp 3 Phase PE+N  
2x 125 Amp CEE 3 Phase (red)  
2x 63 Amp CEE 3 Phase (red)  
2x 32 Amp CEE 3*



*Phase (red) 2x 16 Amp CEE  
3 Phase (red) 4x 16 Amp  
single Phase (blue) 4x 16  
Amp Schuko*

**Spotpower  
(gallery):** *2x 16 Amp CEE (red)  
6x 16 Amp Schuko*

**Loading area:** *2 trucks*

*The back of the trucks need to be  
about 1,00 m inside the loadings  
docks.*

*During loading, the trucks must extend  
approximately 1,00 m into the loading  
dock area. The motors must be switched  
off during the loading.*

**In-house PA specification / in-house system to rent :**

**PA:** *02x L-Acoustics L2  
02x L-Acoustics L2D  
08x L-Acoustics KS21 (flown cardio)  
08x L-Acoustics KS28  
06x L-Acoustics X8*

**Drive:** *01x L-Acoustics P1*

**The Columbiahalle has a fixed delay line consisting of:**

**Underbalcony:** *06x L-Acoustics X8i  
04x L-Acoustics A10i*

**VIP Logen:** *02x L-Acoustics X12*



*The speakers are positioned approximately 4,00 m behind the balcony railing, providing direct sound to the rearmost lower balcony area to compensate for acoustic shadowing from the suspended main system.*

*Plus 6 speakers on both sides of the balcony.*

**Information sound restrictions :**

*The promoter acknowledges that the rented equipment is subject to restrictions under emissions protection law.*

*Therefore, the third-octave frequency bands between 50 and 63 Hz must be set to -6 dB and must not be adjusted for the duration of the event.*

*The venue reserves the right to verify and, if necessary, correct this level setting. Any instructions from the venue or its appointed staff must be followed.*

**Merchandise:**      *5m × 4m. Tables are provided. Cost: €300 plus tax.*